





light is evolution

In the beginning there was light and light is evolution. An evolution, which is creative, which always introduces new ideas and will never end. In order to exist, things must continue to develop. This is the thought that guides Occhio day by day. Our focus is on the great idea of allowing people to shape the lightscapes of their personal space, using light to enhance their quality of life. When evolution reaches a new stage, we call this revolution. Sento means: »I feel«. Feel the revolution.

With Sento we have reinvented light for you. We have used the essence of LED to rethink light and to give a perfect quality to it. A quality that you can feel, see – and use for your personal design idea. For Sento is modular, is rich in options and created for private and commercial environments.







Perfect light offers design freedom

Precise, clear, individual: The Sento quality of light is more than the sum of »next generation« LED, Occhio lens optics and optional inserts. Experience an entirely new quality of light impressions. With Sento you can define light precisely – and create your own design statement.









exchangeable

color temperatures

choose your light - luminaire heads with light emission to one or both sides, changeable inserts for individual lighting effects and a choice of LED color temperatures enable you to adjust the requested lighting to a particular situation. And that with best color rendering properties (CRI 95) and highest efficiency.





New quality



Sento verticale D glossy black + chrome



Perfect light answers

Light touches people. And sometimes vice versa. If you touch the light of Sento it is switched, dimmed and directed in the room. So fascinating moments are created - thanks to a sensor which perfectly understands people.





touchless

touchless

up/down fading

touchless control - thanks to »touchless control« Sento can be switched and dimmed with simple gestures - touchlessly and intuitively thanks to infrared sensors. two in one – Sento with light emission on both sides is equipped with two LED chips.

So uplight and downlight can be independently controlled.

fading – a unique feature: the full light output can be drawn from one side to the other via gesture control.

* For table and floor luminaires handling via »touchless control«. For wall, ceiling and suspended luminaires »touchless control« activatable if requested.





Perfect light – step by step

Everything in life has two sides. Sento too. And so it adapts perfectly to you. It begins with your personal preference, your desired ratio of uplight to downlight – and your mise-en-scène can start: experience an entire new dimension of lighting design with Sento.





up/down preset

dimmable

up/down presetting for double-sided wall and ceiling luminaires – any desired ratio of uplight to downlight can be set and saved in five stages via the "step" function – with full overall output. You can then dim uplight and downlight together – continuously in the ratio saved! So several luminaires in a room can be simply and precisely coordinated with each other.



Sento soffitto E+soft edge matt chrome

^{*} For wall, ceiling and suspended luminaires »touchless control« activatable if requested.



Perfect light is measurable

The only valid reference for Occhio is sunlight. People feel most comfortable in daylight. The quality of light of Sento comes very close to this model. Thanks to Sento colors and skin tones appear as natural as in daylight. Sento – »I feel«.

390 nm	450 nm	500 nm	600 nm	700 nm	780 nm
Wavelength					

Color rendering – The perceived quality of light is determined through the quality of the rendering of the visible light spectrum. The measuring unit is the so-called Color Rendering Index (CRI), natural sunlight with a CRI of 100 is the reference. The Occhio »high color« LEDs come very close to this optimum with a CRI of 95 and ensure the best possible color rendering.






New light

Sento soffitto singolo C






Sento terra C+B head C with cover/lens head B with diffusor glass/cover



Sento terra E+E per head with diffusor glass/lens




Sento terra B + B per head with cover / diffusor glass




Sento verticale D
head with lens/lens + color filter blue

Sento verticale D head with lens / lens + color filter green



Sento verticale D head with lens / lens + color filter magenta

Sento verticale D head with lens/lens + color filter red



Sento verticale A head with diffusor glass/diffusor glass

Sento verticale E head with diffusor glass/lens

* only for heads with single-sided light output

diffusor glass

The diffusor glass ensures an even and diffuse distribution of light (Version A/B/E).

inserts (optional)

Changeable dichroic color filters can be used optionally. A soft edge glass for soft contours or a satinised glass for gentle broadening of the light cone are available for the Versions C/D/E (not in combination with color filters).



for directional,

glare-free light



spot lens *

for focusing

of light



focusing





diffusor glass for the distribution of light





the light



soft edge glass satinised glass for soft contours for diffusion of

colored filters for colored light



Sento B diffusor glass



Sento C lens+


Sento D

lens+

Sento C lens+ soft edge glass (80°) satinised glass (100°)



Sento S 40 lens+ soft edge glass + lens spot (40°)




Sento S 30 lens+ fresnel lens + lens spot (30°)


28 **29**








Sento D lens (80°)/ lens (80°)



Sento D lens+ soft edge glass (80°)/ sat. glass (100°)/

soft edge glass (80°) sat. glass (100°)



Sento E diffusor glass/ lens (80°)



Sento E diffusor glass/ lens+



Sento E diffusor glass/ lens+ soft edge glass (80°) sat. glass (100°)

mounting wall luminaires

»flat« holloe-ceiling »up« surface-mount

material

aluminium, steel, glass

surfaces head, base

chrome, glossy white, glossy black, matt chrome, matt white, matt black



surfaces body

chrome, matt chrome







Detailed technical information can be found on occhio.de



60/80 cm, base turnable (can be fixed) power max. 18 W/1200 lm operation by »touchless control«



Sento lettura 125/160 cm, base turnable (can be fixed) 180 cm, base turnable (can be fixed), power power max, 18W/1200 lm operation by »touchless control«



「一」「平」

max. 2 × 26 W/2 × 1800 lm, operation by »controller« or »touchless control« wall luminaires











Sento verticale

up/flat





power max. 26 W/1800 lm dimmable (»touchless control« optional)

20/30/40 cm, up/flat power max. 26 W/1800 lm dimmable (»touchless control« optional) Sento parete singolo 20/30/40 cm, up/flat power max. 26 W/1800 lm dimmable (»touchless control« optional) Sento parete doppio

20/30/40 cm, up/flat power max. 2 × 26 W/2 × 1800 lm dimmable (»touchless control« optional)

light source

high color LED 2700 K, 3000 K

mounting

- »flat« holloe-ceiling
- »up« surface-mount
- »track« track

material

aluminium, steel, glass

surfaces head, base

chrome, glossy white, glossy black, matt chrome, matt white, matt black









chrome, matt chrome







Detailed technical information can be found on occhio.de

Sento faro

10/20/30 cm, up/flat/track power max. 26 W/1800 lm dimmable (»touchless control« optional)

ceiling luminaires

Sento soffitto singolo

30/40/60/80 cm, up/flat power max, 2 x 26 W/2 x 1800 lm dimmable (»touchless control« optional)

Sento soffitto doppio

30/40/60/80 cm. up/flat power max. 2 × 26 W/2 × 1800 lm dimmable (»touchless control« optional)



Sento soffitto due

30/40/60/80. up/flat

power max. 2 × 26 W/2 × 1800 lm

dimmable (»touchless control« optional)



expected from 01/2015

Sento soffitto due

80/100/125 cm, up/flat power max. 2 × 26 W/2 × 1800 lm dimmable (»touchless control« optional) Sento filo

max. 300 cm, up/flat/track power max. 26 W/1800 lm dimmable (»touchless control« optional)



Occhio

www.occhio.de English