

## NR2

BERTJAN POT



See the world from your own elegant and lighthearted bubble: the NR2 Floorlamp doesn't block the view. This new creation by Bertjan Pot is a symmetric LED treasure that gracefully balances on a steel frame.

---

### *Detailing*




The NR2 features a branded light diffuser that subtly diffuses its soft, magic glow around the room.

---

### *Colours*



Black



White

---

NR2

## Dimensions

55cm | 21.7"



40cm | 15.7"

## Product

**WIDTH** 55cm | 21.7"

**HEIGHT** 40cm | 15.7"

**DEPTH** 55cm | 21.7"

**DIAMETER** 55cm | 21.7"

**WEIGHT NETTO** 4kg | 8.82lbs

## Packaging

**WIDTH** 57cm | 22.4"

**HEIGHT** 52cm | 20.5"

**CUBAGE** 0.17m<sup>3</sup> | 5.97ft<sup>3</sup>

**LENGTH** 57cm | 22.4"

**WEIGHT** 3.7cm | 8.16lbs

---

## Technical CE

### MATERIAL

Ellipsoid from fiberglass with epoxy resin, ABS cover, PC diffuser and aluminum heatsink

### ENERGY LABEL

Energy Label B

### INSTALLATION REQUIRED

Yes

### LIGHTSOURCE TYPE

LED

### LIGHTSOURCE INCLUDED

Yes

### NUMBER OF LIGHTSOURCES

1

### SHAPE

Oval

### INPUT VOLTAGE

208-277

### FREQUENCY

50/60

### MAX POWER CONSUMPTION

12W

### DIMMABLE

Yes

### LAMPHOLDER

LED (Solid state)

### COLOUR

Black

### CABLE LENGTH

400cm | 157.5"

### CANOPY

NR2 Canopy Black

### COLOUR TEMPERATUE

2700 K

### CRI

82

### LIGHT DIRECTION

All directions

### LIGHT OUTPUT

450 lm

---

## Technical cULus

### MATERIAL

Ellipsoid from fiberglass with epoxy resin, ABS cover, PC diffuser and aluminum heatsink

**ENERGY LABEL**

Energy Label B

**LIGHTSOURCE TYPE**

LED

**NUMBER OF LIGHTSOURCES**

1

**INPUT VOLTAGE**

120

**MAX POWER CONSUMPTION**

12W

**LAMPHOLDER**

LED (Solid state)

**CABLE LENGTH**

400cm | 157.5"

**COLOUR TEMPERATUE**

2700 K

**LIGHT DIRECTION**

All directions

**INSTALLATION REQUIRED**

Yes

**LIGHTSOURCE INCLUDED**

Yes

**SHAPE**

Oval

**FREQUENCY**

50/60

**DIMMABLE**

Yes

**COLOUR**

Black

**CANOPY**

NR2 Canopy Black

**CRI**

82

**LIGHT OUTPUT**

450 lm

---

## *Dimmer*

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

**DIMMER TYPE**

Mains dimmable (trailing edge / reverse phase)

**LOAD TYPE**

Capacitive load (C-Type)